

2026 年 7 月 吉日

お客様ならびに代理店各位

セルロース繊維原材料に関するご案内

拝啓 貴社、益々ご清栄のこととお慶び申し上げます。平素より弊社製品をご利用いただき誠にありがとうございます。

この度、弊社セルロース繊維製品に関して、下記の通り原材料の変更をご案内申し上げます。最も正確な情報につきましては別添の英語版原本もご参照いただきますようお願い申し上げます。

ご質問やご不明な点がございましたら、以下のバイオダイレクトラインまでお問い合わせください。

バイオダイレクトライン（製品問合せ対応窓口）TEL: 03-5331-9336（音声案内②） e-mail: Tech-JP@cytiva.com

今後とも Cytiva をご愛顧賜りますようよろしくお願い申し上げます。

敬具

Cytiva（サイティバ）
ディスカバリー事業部

法人名： グローバルライフサイエンステクノロジーズジャパン株式会社

記

本変更は計画的な移行であり、製品品質および性能を維持しながら、今後も安定した製品供給を継続することを目的としています。

変更の理由

現在使用している原材料が供給終了となるためです。安定した供給体制を維持するため、Cytiva では適切な代替原材料を選定しました。管理された変更管理プロセスを通じて移行を実施します。

変更による影響

弊社では、本変更を低リスクと評価しています。代替原材料の採用後も製品の一貫性は維持される見込みであり、以下の項目に変更はありません。

- 製品仕様
- 形状・適合性（Form/Fit）
- 機能（Function）
- コンプライアンス適合状況
- 関連文書

そのため、製品性能への影響もないと予想されています。

なお、本変更の対象となる品目番号は、本通知の末尾に記載されています。

評価・検証方針

代替原材料については、現行の製品仕様に照らして評価を実施しており、製品品質および性能への悪影響はないと判断しています。

お客様ご自身で評価をご希望の場合は、代替原材料を使用して製造したサンプルをご提供することが可能です。

変更の実施時期

現在保有している原材料の在庫は、製品グレードおよび過去の使用実績に応じて、おおよそ 3～6 か月分の需要を満たす見込みです。現行原材料の在庫がなくなり次第、代替原材料への切り替えを実施します。

お客様への供給が円滑に移行できるよう、サンプルのご要望がある場合は、その要否および希望数量をご連絡くださいますようお願いいたします。

この度はご不便をおかけいたします。ご質問やご不明な点がございましたら、バイオダイレクトラインまでお問い合わせください。

対象製品

製品コード	製品名
2200-110	1PS 11.0CM 100/PK
2200-125	1PS 12.5CM 100/PK
2200-150	1PS 15CM 100/PK
2200-185	1PS 18.5CM 100/PK
2200-240	1PS 24CM 100/PK
2200-270	1PS 27CM 100/PK
2200-070	1PS 7.0CM 100/PK
2200-090	1PS 9.0CM 100/PK
5201-110	201 11CM 100/PK
5201-150	201 15CM 100/PK
5201-185	201 18.5CM 100/PK
5201-240	201 24CM 100/PK
5201-320	201 32CM 100/PK
5201-330	201 33CM 100/PK
5201-940	201 47x58CM 500/PK
5201-935	201 58x58CM 500/PK
5201-090	201 9CM 100/PK
5202-110	202 11CM 100/PK
5202-125	202 12.5CM 100/PK
5202-150	202 15CM 100/PK
5202-185	202 18.5CM 100/PK
5202-200	202 20CM 100/PK
5202-240	202 24CM 100/PK
5202-250	202 25CM 100/PK
5202-320	202 32CM 100/PK
5202-330	202 33CM 100/PK

5202-400	202 40CM 100/PK
5202-090	202 9CM 100/PK
3031-681	31ET CHR 15CMx100M 1RL/PK
3031-901	31ET CHR 2 x 5CM 1000/PK
3031-915	31ET CHR 46 x 57CM 25/PK
3004-614	4CHR 2CM x 100M REEL
10350106	603 ASE 17x37MM 25/PK FOR11ML
10350108	603 ASE 17x79MM 25/PK FOR22ML
10350306	603 CELTHIMBLE 22x60MM 25/PK
10350211	603 CELTHIMBLE 22x80MM 25/PK
10350219	603 CELTHIMBLE 25x100MM 25/PK
10350215	603 CELTHIMBLE 25x60MM 25/PK
10350217	603 CELTHIMBLE 25x80MM 25/PK
10350220	603 CELTHIMBLE 26x60MM 25/PK
10350223	603 CELTHIMBLE 27x80MM 25/PK
10350227	603 CELTHIMBLE 28x100MM 25/PK
10350225	603 CELTHIMBLE 28x60MM 25/PK
10350226	603 CELTHIMBLE 28x80MM 25/PK
10350236	603 CELTHIMBLE 30x100MM 25/PK
10350234	603 CELTHIMBLE 30x80MM 25/PK
10350243	603 CELTHIMBLE 33x100MM 25/PK
10350245	603 CELTHIMBLE 33x118MM 25/PK
10350247	603 CELTHIMBLE 33x130MM 25/PK
10350250	603 CELTHIMBLE 33x205MM 25/PK
10350238	603 CELTHIMBLE 33x60MM 25/PK
10350240	603 CELTHIMBLE 33x80MM 25/PK
10350241	603 CELTHIMBLE 33x90MM 25/PK
10350242	603 CELTHIMBLE 33x94MM 25/PK
10350252	603 CELTHIMBLE 34x130MM 25/PK
10350255	603 CELTHIMBLE 35x150MM 25/PK
10350261	603 CELTHIMBLE 40x85MM 25/PK
10350265	603 CELTHIMBLE 41x123MM 25/PK
10350275	603 CELTHIMBLE 44x230MM 25/PK
10350273	603 CELTHIMBLE 48x145MM 25/PK
10350274	603 CELTHIMBLE 48x200MM 25/PK
10350287	603 CELTHIMBLE 75x250MM 25/PK
10350324	603 CELTHIMBLE 86x80x250MM 25/PK
10350437	603T THIMBLE 33x31x80MM 25/PK
2017-013	AA DISCS 13MM 1000/PK
2017-006	AA DISCS 6MM/1000/PK
2017-009	AA DISCS 9MM 1000/PK
1703-050	ASHLESS CLIPPINGS 500g/PK
2810-902	Cellulose Thimble Double Thickness 90x 200mm 25/pack
99-696-945	DR EXP 606 61x61CM 500/PK
3017-621	GR 17CHR 2.5CMx30M
3017-8793	GR 17CHR 2.5x22CM 100/PK
3017-917	GR 17CHR 46x57CM 100/PK

3017-915	GR 17CHR 46x57CM 25/PK
30176715	GR 17CHR 5.7 X 5.7CM 100/PK
3017-820	GR 17CHR 7x9CM 100/PK
1002-110	GR 2 11.0CM 100/PK
1002-10240	GR 2 110MM CONE 1000/ PK
1002-125	GR 2 12.5CM 100/PK
1002-150	GR 2 15.0CM 100/PK
1002-147	GR 2 15.0CM IP CERT 100/PK
1002-185	GR 2 18.5CM 100/PK
1002-240	GR 2 24.0CM 100/PK
1002-270	GR 2 27.0CM 100/PK
1002-320	GR 2 32.0CM 100/PK
1002-385	GR 2 38.5CM 100/PK
1002-042	GR 2 4.25CM 100/PK
1002-047	GR 2 4.7CM 100/PK
1002-917	GR 2 46x57CM 100/PK
1002-055	GR 2 5.5CM 100/PK
1002-931	GR 2 58X68CM 100/PK
1002-929	GR 2 60x60CM 100/PK
1002-070	GR 2 7.0CM 100/PK
100210144	GR 2 8.3CM 100/PK
1002-090	GR 2 9.0CM 100/PK
3002-917	GR 2 CHR 46x57CM 100/PK
3020-917	GR 20CHR 46x57CM 100/PK
3002-9159	GR 2CHR 10x150MM 1000/PK
3002-911	GR 2CHR 58x60CM 100/PK
1004-027	GR 4 2.7CM 400/PK
1004-042	GR 4 4.25CM 100/PK
1004-047	GR 4 4.7CM 100/PK
1004-041	GR 4 41MM 100/PK
1004-110	GR 4 11CM 100/PK
1004-125	GR 4 12.5CM 100/PK
1004-150	GR 4 15CM 100/PK
1004-185	GR 4 18.5CM 100/PK
1004-240	GR 4 24CM 100/PK
1004-270	GR 4 27CM 100/PK
1004-320	GR 4 32CM 100/PK
1004-648	GR 4 38x114MM OD 63MM ID 1/RL
1004-400	GR 4 40CM 100/PK
1004-917	GR 4 46x57CM 100/PK
1004-055	GR 4 5.5CM 100/PK
1004-930	GR 4 58x58CM 100/PK
1004-050	GR 4 5CM 100/PK
1004-070	GR 4 7CM 100/PK
1004-090	GR 4 9CM 100/PK
1441-110	GR 41 11CM 100/PK
1441-125	GR 41 12.5CM 100/PK

1441-150	GR 41 15CM 100/PK
1441-185	GR 41 18.5CM 100/PK
1441-866	GR 41 20.3x25.4CM 100/PK
1441-240	GR 41 24CM 100/PK
14418296	GR 41 3.2CM 100/PK
1441-320	GR 41 32CM 100/PK
1441-042	GR 41 4.25CM 100/PK
1441-047	GR 41 4.7CM 100/PK
1441-917	GR 41 46x57CM 100/PK
1441-055	GR 41 5.5CM 100/PK
1441-050	GR 41 5CM 100/PK
1441-060	GR 41 6CM 100/PK
1441-070	GR 41 7CM 100/PK
1441-090	GR 41 9CM 100/PK
3004-917	GR 4CHR 46x57CM 100/PK
1450-110	GR 50 11CM 100/PK
1450-125	GR 50 12.5CM 100/PK
1450-150	GR 50 15CM 100/PK
1450-916	GR 50 15x23CM 100/PK
1450-185	GR 50 18.5CM 100/PK
1450-240	GR 50 24CM 100/PK
1450-320	GR 50 32CM 100/PK
1450-042	GR 50 4.25CM 100/PK
1450-917	GR 50 46x57CM 100/PK
1450-055	GR 50 5.5CM 100/PK
1450-500	GR 50 50CM 100/PK
1450-063	GR 50 6.35CM 100/PK
1450-070	GR 50 7CM 100/PK
1450-090	GR 50 9CM 100/PK
1450-993	GR 50 WHT SMEAR TAB 100/PK
1452-110	GR 52 11CM 100/PK
1452-125	GR 52 12.5CM 100/PK
1452-150	GR 52 15CM 100/PK
1452-240	GR 52 24CM 100/PK
1452-090	GR 52 9CM 100/PK
1454-110	GR 54 11CM 100/PK
1454-125	GR 54 12.5CM 100/PK
1454-150	GR 54 15CM 100/PK
1454-185	GR 54 18.5CM 100/PK
1454-240	GR 54 24CM 100/PK
1454-320	GR 54 32CM 100/PK
1454-917	GR 54 46x57CM 100/PK
1454-055	GR 54 5.5CM 100/PK
1454-500	GR 54 50CM 100/PK
1454-070	GR 54 7CM 100/PK
1454-090	GR 54 9CM 100/PK
1540-110	GR 540 11CM 100/PK

1540-125	GR 540 12.5CM 100/PK
1540-150	GR 540 15CM 100/PK
1540-185	GR 540 18.5CM 100/PK
1540-321	GR 540 2.1CM 100/PK
1540-324	GR 540 2.4CM 100/PK
1540-240	GR 540 24CM 100/PK
1540-320	GR 540 32CM 100/PK
1540-042	GR 540 4.25CM 100/PK
1540-055	GR 540 5.5CM 100/PK
1540-090	GR 540 9CM 100/PK
1541-110	GR 541 11CM 100/PK
1541-125	GR 541 12.5CM 100/PK
1541-150	GR 541 15CM 100/PK
1541-185	GR 541 18.5CM 100/PK
1541-240	GR 541 24CM 100/PK
1541-270	GR 541 27CM 100/PK
1541-320	GR 541 32CM 100/PK
1541-042	GR 541 4.25CM 100/PK
1541-047	GR 541 4.7CM 100/PK
1541-400	GR 541 40CM 100/PK
1541-917	GR 541 46x57CM 100/PK
1541-055	GR 541 5.5CM 100/PK
1541-070	GR 541 7CM 100/PK
1541-090	GR 541 9CM 100/PK
1542-110	GR 542 11CM 100/PK
1542-125	GR 542 12.5CM 100/PK
1542-150	GR 542 15CM 100/PK
1542-185	GR 542 18.5CM 100/PK
1542-240	GR 542 24CM 100/PK
1542-055	GR 542 5.5CM 100/PK
1542-070	GR 542 7CM 100/PK
1542-090	GR 542 9CM 100/PK
3454-651	GR 54SFC 1.5INx300FT RL
1006-110	GR 6 11CM 100/PK
1006-125	GR 6 12.5CM 100/PK
9891-128	GR 6 12.5CM 1000/PK Pyramid
1006-150	GR 6 15CM 100/PK
1006-185	GR 6 18.5CM 100/PK
1006-240	GR 6 24CM 100/PK
1006-042	GR 6 4.25CM 100/PK
1006-070	GR 6 7CM 100/PK
1006-090	GR 6 9CM 100/PK
989510112	GR41 125MM PYRAMID 1000/PK
1002-10219	Grade 2 PYRAMID 110MM 10,000/PK
989810116	Grade 4 110MM PYRAMID 1000/PK
989810112	Grade 4 125MM PYRAMID 1000/PK
989510116	Grade 41 110MM PYRAMID 1000/PK

1540-10124	Grade 540 11CM PYRAMID 1000/PK
2810-166	THIMBLE DT 16x60MM 25/PK
2810-228	THIMBLE DT 22x80MM 25/PK
2810-258	THIMBLE DT 25x80MM 25/PK
2810-266	THIMBLE DT 26x60MM 25/PK
2810-338	THIMBLE DT 33x80MM 25/PK
2810-339	THIMBLE DT 33x94MM 25/PK
2810-432	THIMBLE DT 43x123MM 25/PK
2800-105	THIMBLE ST 10x50MM 25/PK
2800-185	THIMBLE ST 18x55MM 25/PK
2800-199	THIMBLE ST 19x90MM 25/PK
2800-226	THIMBLE ST 22x65MM 25/PK
2800-228	THIMBLE ST 22x80MM 25/PK
2800-250	THIMBLE ST 25x100MM 25/PK
2800-258	THIMBLE ST 25x80MM 25/PK
2800-259	THIMBLE ST 25x90MM 25/PK
2800-260	THIMBLE ST 26x100MM 25/PK
2800-266	THIMBLE ST 26x60MM 25/PK
2800-280	THIMBLE ST 28x100MM 25/PK
2800-282	THIMBLE ST 28x120MM 25/PK
2800-288	THIMBLE ST 28x80MM 25/PK
2800-300	THIMBLE ST 30x100MM 25/PK
2800-308	THIMBLE ST 30x80MM 25/PK
2800-330	THIMBLE ST 33x100MM 25/PK
2800-331	THIMBLE ST 33x118MM 25/PK
2800-338	THIMBLE ST 33x80MM 25/PK
2800-339	THIMBLE ST 33x94MM 25/PK
2800-373	THIMBLE ST 37x130MM 25/PK
2800-412	THIMBLE ST 41x123MM 25/PK
2800-432	THIMBLE ST 43x123MM 25/PK
2800-608	THIMBLE ST 60x180MM 25/PK
3004-8098	TYPE 4CHR 2CMX100M
10318493	470 46x57CM 100/PK
10539028	470 1.5INx450FT 1/PK
10539167	740E 1.5INx550FT 1/PK

以上

7th Jul 2026

Change Control Notification

Dear Valued Customer,

We are writing to inform you of an enforced change affecting various cellulose fibre products you purchase from Cytiva, following discontinuation of the current raw material. This planned transition is intended to protect continuity of supply while maintaining expected product quality and performance

Reason for the Change

The current raw material is being discontinued. To maintain reliable supply, Cytiva has identified a suitable alternate raw material and will manage the transition through controlled change management.

Impact of the Change

Cytiva has assessed this change as low risk. The alternate raw material is expected to support continued product consistency, with no changes anticipated to product specifications, form, fit, function, compliance status, or associated documentation. Accordingly, no change in product performance is expected. Affected item numbers are listed at the end of this notification.

Qualification Strategy

The alternate raw material has been evaluated against current product specifications, with no adverse impact to product quality or performance anticipated. If you wish to conduct your evaluation, samples made with the alternate raw material can be provided.

Implementation of the Change

The remaining current raw material is expected to cover approximately 3–6 months of demand, depending on grade and historical usage. Implementation will proceed after the remaining current raw material is depleted.

To support a smooth transition for your supply needs, please confirm whether samples are required and provide the requested quantity where applicable.

We apologize for any inconvenience this change may cause. If you have any questions or concerns, please contact your local Cytiva Account Manager, or a Customer Support representative.

Yours sincerely,

Lynn Tian
Senior Product Manager
Cytiva

NOTE: This letter is provided for information purposes only and does not affect or create any rights or obligations in regard to either you or Cytiva.

List of Affected Item Numbers:

Item Code	Item Description
2200-110	1PS 11.0CM 100/PK
2200-125	1PS 12.5CM 100/PK
2200-150	1PS 15CM 100/PK
2200-185	1PS 18.5CM 100/PK
2200-240	1PS 24CM 100/PK
2200-270	1PS 27CM 100/PK
2200-070	1PS 7.0CM 100/PK
2200-090	1PS 9.0CM 100/PK
5201-110	201 11CM 100/PK
5201-150	201 15CM 100/PK
5201-185	201 18.5CM 100/PK
5201-240	201 24CM 100/PK
5201-320	201 32CM 100/PK
5201-330	201 33CM 100/PK
5201-940	201 47x58CM 500/PK
5201-935	201 58x58CM 500/PK
5201-090	201 9CM 100/PK
5202-110	202 11CM 100/PK
5202-125	202 12.5CM 100/PK
5202-150	202 15CM 100/PK
5202-185	202 18.5CM 100/PK
5202-200	202 20CM 100/PK
5202-240	202 24CM 100/PK
5202-250	202 25CM 100/PK
5202-320	202 32CM 100/PK
5202-330	202 33CM 100/PK
5202-400	202 40CM 100/PK
5202-090	202 9CM 100/PK
3031-681	31ET CHR 15CMx100M 1RL/PK
3031-901	31ET CHR 2 x 5CM 1000/PK
3031-915	31ET CHR 46 x 57CM 25/PK
3004-614	4CHR 2CM x 100M REEL
10350106	603 ASE 17x37MM 25/PK FOR11ML
10350108	603 ASE 17x79MM 25/PK FOR22ML
10350306	603 CELTHIMBLE 22x60MM 25/PK
10350211	603 CELTHIMBLE 22x80MM 25/PK
10350219	603 CELTHIMBLE 25x100MM 25/PK
10350215	603 CELTHIMBLE 25x60MM 25/PK
10350217	603 CELTHIMBLE 25x80MM 25/PK
10350220	603 CELTHIMBLE 26x60MM 25/PK

10350223	603 CELTHIMBLE 27x80MM 25/PK
10350227	603 CELTHIMBLE 28x100MM 25/PK
10350225	603 CELTHIMBLE 28x60MM 25/PK
10350226	603 CELTHIMBLE 28x80MM 25/PK
10350236	603 CELTHIMBLE 30x100MM 25/PK
10350234	603 CELTHIMBLE 30x80MM 25/PK
10350243	603 CELTHIMBLE 33x100MM 25/PK
10350245	603 CELTHIMBLE 33x118MM 25/PK
10350247	603 CELTHIMBLE 33x130MM 25/PK
10350250	603 CELTHIMBLE 33x205MM 25/PK
10350238	603 CELTHIMBLE 33x60MM 25/PK
10350240	603 CELTHIMBLE 33x80MM 25/PK
10350241	603 CELTHIMBLE 33x90MM 25/PK
10350242	603 CELTHIMBLE 33x94MM 25/PK
10350252	603 CELTHIMBLE 34x130MM 25/PK
10350255	603 CELTHIMBLE 35x150MM 25/PK
10350261	603 CELTHIMBLE 40x85MM 25/PK
10350265	603 CELTHIMBLE 41x123MM 25/PK
10350275	603 CELTHIMBLE 44x230MM 25/PK
10350273	603 CELTHIMBLE 48x145MM 25/PK
10350274	603 CELTHIMBLE 48x200MM 25/PK
10350287	603 CELTHIMBLE 75x250MM 25/PK
10350324	603 CELTHIMBLE 86x80x250MM 25/PK
10350437	603T THIMBLE 33x31x80MM 25/PK
2017-013	AA DISCS 13MM 1000/PK
2017-006	AA DISCS 6MM/1000/PK
2017-009	AA DISCS 9MM 1000/PK
1703-050	ASHLESS CLIPPINGS 500g/PK
2810-902	Cellulose Thimble Double Thickness 90x 200mm 25/pack
99-696-945	DR EXP 606 61x61CM 500/PK
3017-621	GR 17CHR 2.5CMx30M
3017-8793	GR 17CHR 2.5x22CM 100/PK
3017-917	GR 17CHR 46x57CM 100/PK
3017-915	GR 17CHR 46x57CM 25/PK
30176715	GR 17CHR 5.7 X 5.7CM 100/PK
3017-820	GR 17CHR 7x9CM 100/PK
1002-110	GR 2 11.0CM 100/PK
1002-10240	GR 2 110MM CONE 1000/ PK
1002-125	GR 2 12.5CM 100/PK
1002-150	GR 2 15.0CM 100/PK
1002-147	GR 2 15.0CM IP CERT 100/PK
1002-185	GR 2 18.5CM 100/PK

1002-240	GR 2 24.0CM 100/PK
1002-270	GR 2 27.0CM 100/PK
1002-320	GR 2 32.0CM 100/PK
1002-385	GR 2 38.5CM 100/PK
1002-042	GR 2 4.25CM 100/PK
1002-047	GR 2 4.7CM 100/PK
1002-917	GR 2 46x57CM 100/PK
1002-055	GR 2 5.5CM 100/PK
1002-931	GR 2 58X68CM 100/PK
1002-929	GR 2 60x60CM 100/PK
1002-070	GR 2 7.0CM 100/PK
100210144	GR 2 8.3CM 100/PK
1002-090	GR 2 9.0CM 100/PK
3002-917	GR 2 CHR 46x57CM 100/PK
3020-917	GR 20CHR 46x57CM 100/PK
3002-9159	GR 2CHR 10x150MM 1000/PK
3002-911	GR 2CHR 58x60CM 100/PK
1004-027	GR 4 2.7CM 400/PK
1004-042	GR 4 4.25CM 100/PK
1004-047	GR 4 4.7CM 100/PK
1004-041	GR 4 41MM 100/PK
1004-110	GR 4 11CM 100/PK
1004-125	GR 4 12.5CM 100/PK
1004-150	GR 4 15CM 100/PK
1004-185	GR 4 18.5CM 100/PK
1004-240	GR 4 24CM 100/PK
1004-270	GR 4 27CM 100/PK
1004-320	GR 4 32CM 100/PK
1004-648	GR 4 38x114MM OD 63MM ID 1/RL
1004-400	GR 4 40CM 100/PK
1004-917	GR 4 46x57CM 100/PK
1004-055	GR 4 5.5CM 100/PK
1004-930	GR 4 58x58CM 100/PK
1004-050	GR 4 5CM 100/PK
1004-070	GR 4 7CM 100/PK
1004-090	GR 4 9CM 100/PK
1441-110	GR 41 11CM 100/PK
1441-125	GR 41 12.5CM 100/PK
1441-150	GR 41 15CM 100/PK
1441-185	GR 41 18.5CM 100/PK
1441-866	GR 41 20.3x25.4CM 100/PK
1441-240	GR 41 24CM 100/PK

14418296	GR 41 3.2CM 100/PK
1441-320	GR 41 32CM 100/PK
1441-042	GR 41 4.25CM 100/PK
1441-047	GR 41 4.7CM 100/PK
1441-917	GR 41 46x57CM 100/PK
1441-055	GR 41 5.5CM 100/PK
1441-050	GR 41 5CM 100/PK
1441-060	GR 41 6CM 100/PK
1441-070	GR 41 7CM 100/PK
1441-090	GR 41 9CM 100/PK
3004-917	GR 4CHR 46x57CM 100/PK
1450-110	GR 50 11CM 100/PK
1450-125	GR 50 12.5CM 100/PK
1450-150	GR 50 15CM 100/PK
1450-916	GR 50 15x23CM 100/PK
1450-185	GR 50 18.5CM 100/PK
1450-240	GR 50 24CM 100/PK
1450-320	GR 50 32CM 100/PK
1450-042	GR 50 4.25CM 100/PK
1450-917	GR 50 46x57CM 100/PK
1450-055	GR 50 5.5CM 100/PK
1450-500	GR 50 50CM 100/PK
1450-063	GR 50 6.35CM 100/PK
1450-070	GR 50 7CM 100/PK
1450-090	GR 50 9CM 100/PK
1450-993	GR 50 WHT SMEAR TAB 100/PK
1452-110	GR 52 11CM 100/PK
1452-125	GR 52 12.5CM 100/PK
1452-150	GR 52 15CM 100/PK
1452-240	GR 52 24CM 100/PK
1452-090	GR 52 9CM 100/PK
1454-110	GR 54 11CM 100/PK
1454-125	GR 54 12.5CM 100/PK
1454-150	GR 54 15CM 100/PK
1454-185	GR 54 18.5CM 100/PK
1454-240	GR 54 24CM 100/PK
1454-320	GR 54 32CM 100/PK
1454-917	GR 54 46x57CM 100/PK
1454-055	GR 54 5.5CM 100/PK
1454-500	GR 54 50CM 100/PK
1454-070	GR 54 7CM 100/PK
1454-090	GR 54 9CM 100/PK

1540-110	GR 540 11CM 100/PK
1540-125	GR 540 12.5CM 100/PK
1540-150	GR 540 15CM 100/PK
1540-185	GR 540 18.5CM 100/PK
1540-321	GR 540 2.1CM 100/PK
1540-324	GR 540 2.4CM 100/PK
1540-240	GR 540 24CM 100/PK
1540-320	GR 540 32CM 100/PK
1540-042	GR 540 4.25CM 100/PK
1540-055	GR 540 5.5CM 100/PK
1540-090	GR 540 9CM 100/PK
1541-110	GR 541 11CM 100/PK
1541-125	GR 541 12.5CM 100/PK
1541-150	GR 541 15CM 100/PK
1541-185	GR 541 18.5CM 100/PK
1541-240	GR 541 24CM 100/PK
1541-270	GR 541 27CM 100/PK
1541-320	GR 541 32CM 100/PK
1541-042	GR 541 4.25CM 100/PK
1541-047	GR 541 4.7CM 100/PK
1541-400	GR 541 40CM 100/PK
1541-917	GR 541 46x57CM 100/PK
1541-055	GR 541 5.5CM 100/PK
1541-070	GR 541 7CM 100/PK
1541-090	GR 541 9CM 100/PK
1542-110	GR 542 11CM 100/PK
1542-125	GR 542 12.5CM 100/PK
1542-150	GR 542 15CM 100/PK
1542-185	GR 542 18.5CM 100/PK
1542-240	GR 542 24CM 100/PK
1542-055	GR 542 5.5CM 100/PK
1542-070	GR 542 7CM 100/PK
1542-090	GR 542 9CM 100/PK
3454-651	GR 54SFC 1.5INx300FT RL
1006-110	GR 6 11CM 100/PK
1006-125	GR 6 12.5CM 100/PK
9891-128	GR 6 12.5CM 1000/PK Pyramid
1006-150	GR 6 15CM 100/PK
1006-185	GR 6 18.5CM 100/PK
1006-240	GR 6 24CM 100/PK
1006-042	GR 6 4.25CM 100/PK
1006-070	GR 6 7CM 100/PK

1006-090	GR 6 9CM 100/PK
989510112	GR41 125MM PYRAMID 1000/PK
1002-10219	Grade 2 PYRAMID 110MM 10,000/PK
989810116	Grade 4 110MM PYRAMID 1000/PK
989810112	Grade 4 125MM PYRAMID 1000/PK
989510116	Grade 41 110MM PYRAMID 1000/PK
1540-10124	Grade 540 11CM PYRAMID 1000/PK
2810-166	THIMBLE DT 16x60MM 25/PK
2810-228	THIMBLE DT 22x80MM 25/PK
2810-258	THIMBLE DT 25x80MM 25/PK
2810-266	THIMBLE DT 26x60MM 25/PK
2810-338	THIMBLE DT 33x80MM 25/PK
2810-339	THIMBLE DT 33x94MM 25/PK
2810-432	THIMBLE DT 43x123MM 25/PK
2800-105	THIMBLE ST 10x50MM 25/PK
2800-185	THIMBLE ST 18x55MM 25/PK
2800-199	THIMBLE ST 19x90MM 25/PK
2800-226	THIMBLE ST 22x65MM 25/PK
2800-228	THIMBLE ST 22x80MM 25/PK
2800-250	THIMBLE ST 25x100MM 25/PK
2800-258	THIMBLE ST 25x80MM 25/PK
2800-259	THIMBLE ST 25x90MM 25/PK
2800-260	THIMBLE ST 26x100MM 25/PK
2800-266	THIMBLE ST 26x60MM 25/PK
2800-280	THIMBLE ST 28x100MM 25/PK
2800-282	THIMBLE ST 28x120MM 25/PK
2800-288	THIMBLE ST 28x80MM 25/PK
2800-300	THIMBLE ST 30x100MM 25/PK
2800-308	THIMBLE ST 30x80MM 25/PK
2800-330	THIMBLE ST 33x100MM 25/PK
2800-331	THIMBLE ST 33x118MM 25/PK
2800-338	THIMBLE ST 33x80MM 25/PK
2800-339	THIMBLE ST 33x94MM 25/PK
2800-373	THIMBLE ST 37x130MM 25/PK
2800-412	THIMBLE ST 41x123MM 25/PK
2800-432	THIMBLE ST 43x123MM 25/PK
2800-608	THIMBLE ST 60x180MM 25/PK
3004-8098	TYPE 4CHR 2CMX100M
10318493	470 46x57CM 100/PK
10539028	470 1.5INx450FT 1/PK
10539167	740E 1.5INx550FT 1/PK